(19)





# (11) **EP 3 096 461 B1**

(12)

## **EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention of the grant of the patent: 05.08.2020 Bulletin 2020/32 (51) Int Cl.: *H03M 1/50* <sup>(2006.01)</sup>

H03M 3/00<sup>(2006.01)</sup>

- (21) Application number: 15200621.9
- (22) Date of filing: 16.12.2015

### (54) METHOD AND APPARATUS FOR ENCODING ANALOG SIGNAL INTO TIME INTERVALS

VERFAHREN UND VORRICHTUNG ZUR CODIERUNG EINES ANALOGSIGNALS IN ZEITINTERVALLEN

PROCÉDÉ ET APPAREIL DE CODAGE D'UN SIGNAL ANALOGIQUE EN INTERVALLES DE TEMPS

- (84) Designated Contracting States: AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
- (30) Priority: 21.05.2015 PL 41243415 21.05.2015 PL 41243515
- (43) Date of publication of application: 23.11.2016 Bulletin 2016/47
- (73) Proprietor: AKADEMIA GORNICZO-HUTNICZA
   im. Stanislawa Staszica
   30-059 Krakow (PL)
- (72) Inventors:
  - KOSCIELNIK, Dariusz 31-431 Krakow (PL)
  - MISKOWICZ, Marek 31-636 Krakow (PL)
- (74) Representative: Kacperski, Andrzej Kancelaria Prawno-Patentowa ul. Kupa 3/9 31-057 Krakow (PL)

(56) References cited:

- HAFLIGER P ET AL: "Analog to interval encoder with active use of gate leakage for an implanted blood-sugar sensor", BIOMEDICAL CIRCUITS AND SYSTEMS CONFERENCE, 2008. BIOCAS 2008. IEEE, IEEE, PISCATAWAY, NJ, USA, 20 November 2008 (2008-11-20), pages 169-172, XP031398830, ISBN: 978-1-4244-2878-6
- LAZAR A A ET AL: "Time encoding and perfect recovery of bandlimited signals", PROCEEDINGS OF INTERNATIONAL CONFERENCE ON ACOUSTICS, SPEECH AND SIGNAL PROCESSING (ICASSP'03) 6-10 APRIL 2003 HONG KONG, CHINA; [IEEE INTERNATIONAL CONFERENCE ON ACOUSTICS, SPEECH, AND SIGNAL PROCESSING (ICASSP)], IEEE, 2003 IEEE INTERNATIONAL CONFE, vol. 6, 6 April 2003 (2003-04-06), pages VI\_709-VI\_712, XP010640850, DOI: 10.1109/ICASSP.2003.1201780 ISBN: 978-0-7803-7663-2
- DAZHI WEI ET AL: "Signal reconstruction from spiking neuron models", PROCEEDINGS / 2004 IEEE INTERNATIONAL SYMPOSIUM ON CIRCUITS AND SYSTEMS : MAY 23 - 26, 2004, SHERATON VANCOUVER WALL CENTRE HOTEL, VANCOUVER, BRITISH COLUMBIA, CANADA, IEEE OPERATIONS CENTER, PISCATAWAY, NJ, vol. 5, 23 May 2004 (2004-05-23), pages 353-356, XP010720278, ISBN: 978-0-7803-8251-0

3 096 461 B1 Ч

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

#### Description

**[0001]** The subject of this invention is a method and an apparatus for encoding analog signal into time intervals that can be applied in processing of signals, especially bandlimited, if recovery of analog signal is required, as well as in monitoring and control systems.

[0002] A method for encoding analog signal into time intervals known from the article Aurel A. Lazar and Laszlo T. Toth, "Perfect Recovery and Sensitivity Analysis of Time Encoded Bandlimited Signals", IEEE Transactions on Circuits and Systems, vol. 51, no. 10, October 2004, pp. 2060 - 2073, consists in using the asynchronous Sigma-Delta modulator as the time encoding machine (TEM). The difference between an analog input signal and a binary signal produced by the output of the time encoding machine is provided to the input of an integrator. The signal on the integrator output grows when the binary signal on the time encoding machine output is positive, and respectively falls when the binary signal is negative. The signal on the integrator output is provided to the input of a Schmitt trigger, therefore, the rate of changes of the signal on the integrator output is modulated by analog input signal magnitude. The widths of positive and negative pulses on the output of the asynchronous Sigma-Delta modulator, which is at the same time the output of the Schmitt trigger, depends on the actual magnitude of the analog input signal averaged within time intervals defined by the pulse widths.

[0003] A method for encoding analog signal into time intervals known from the article J. G. Harris, Xu Jie, M. Rastogi, A. S. Alvarado, V. Garg, J. C. Principe, K. Vuppamandla, "Real Time Signal Reconstruction from Spikes on a Digital Signal Processor", IEEE International Symposium on Circuits and Systems, May 2008, pp. 1060-1063, consists in using the Spiking Neuron circuit as the time encoding machine (TEM). The input analog signal controls the intensity of the current source, which is always greater than zero. The charge delivered by the current source is successively accumulated in a capacitor, which cause an increase of a voltage on that capacitor. This voltage is compared to a prespecified threshold by the use of a comparator. When the voltage increasing on the capacitor reaches the threshold, a short pulse is produced on the output of the comparator, which is at the same time the output of the Spiking Neuron circuit that acts as the time encoding machine. This pulse turns on a transistor that connects plates of the capacitor causing capacitor discharge. When the pulse generation is terminated by the comparator, accumulation of a next charge portion is started, and the cycle is repeated. Time intervals between successive pulses generated on the output of the Spiking Neuron circuit represent magnitude of analog signal averaged within time intervals defined by the pulse widths.

**[0004]** An apparatus for encoding analog signal into time intervals known from the article Aurel A. Lazar and Laszlo T. Toth, "Perfect Recovery and Sensitivity Anal-

ysis of Time Encoded Bandlimited Signals", IEEE Transactions on Circuits and Systems, vol. 51, no. 10, October 2004, pp. 2060 - 2073, is based on the asynchronous Sigma-Delta modulator. Analog input signal is provided to a non-inverting input of an adder, whose inverting input is connected to an output of the asynchronous Sigma-

- Delta modulator that acts as the time encoding machine. The output of the adder is connected to the input of the integrator, whose output is connected to the non-invert-
- <sup>10</sup> ing input of the Schmitt trigger. The output of the Schmitt trigger is at the same time the output of the asynchronous Sigma-Delta modulator.

**[0005]** An apparatus for encoding analog signal into time intervals known from the article J. G. Harris, Xu Jie,

<sup>15</sup> M. Rastogi, A. S. Alvarado, V. Garg, J. C. Principe, K. Vuppamandla, "Real Time Signal Reconstruction from Spikes on a Digital Signal Processor", IEEE International Symposium on Circuits and Systems, May 2008, str. 1060 - 1063, is based on the Spiking-Neuron circuit. An-

<sup>20</sup> alog input signal is provided to a control input of a current source introduced between a supply voltage and a top plate of a capacitor. The top plate of the capacitor is at the same time connected to a non-inverting input of a comparator, and a reference voltage is connected to an

inverting input of the comparator. The output of the comparator, which is at the same time the output of the Spiking-Neuron circuit that acts as the time encoding machine controls a gate of a transistor that acts as a switch. The transistor is connected to the capacitor in parallel, while
 a bottom plate of the capacitor is connected to ground of

the circuit.

**[0006]** A publication Hafliger P. et al: "Analog to interval encoder with active use of gate leakage for an implanted blood-sugar sensor", Biomedical Circuits And Systems Conference, 2008, BIOCAS 2008. IEEE, IEEE, Piscata-

way, NJ, USA, 20 November 2008 (2008-11-20), pages 169-172, XP031398830, ISBN: 978-1-4244-2878-6, describes an integrated circuit of a glucose sensor implant. The tasks of this circuit are the powering and sampling

40 of the sensor, and the data conversion for transmission on a serial digital wireless link. By using intervals between digital signals, a simple digital link is used to encode analog data without the need for a full analog to digital conversion. The sample-and-hold circuit is used to invert po-

<sup>45</sup> larity of an input before its integration. Successive inversion of the polarity of the input signal implies alternate charging and discharging operations, and thereby a generation of positive and negative pulses by the time encoding machine.

50 [0007] A method for encoding analog signal into time intervals, according to the invention, consists in a generation of time intervals using a time encoding machine, while widths of time intervals represent values of the analog signal.

<sup>55</sup> **[0008]** The essence of the method is that a signal of a constant value is held during a generated time interval on a time encoding machine input by the use of a sample-and-hold circuit, while the constant value of the signal

10

30

35

held during the generated time interval represents an instantaneous value of encoded analog signal at the end of generation of a previous time interval.

The instantaneous value of the encoded analog signal is sampled and locked by the use of the sample-and-hold circuit when the time encoding machine terminates the generation of the previous time interval.

The signal having a constant value is held during a generated time interval on a time encoding machine input by the use of one of modules of the sample-and-hold circuit, and an actual value of the encoded analog signal is sampled the use of one of modules of the sample-and-hold circuit, while roles of the modules of the sample-and-hold circuit are interchanged cyclically at the end of the generation of each time interval.

**[0009]** An apparatus for encoding analog signal into time intervals, according to the invention, comprises the time encoding machine equipped with a signal input and a time output.

**[0010]** The essence of the apparatus is that the analog signal is provided to an input of the sample-and-hold circuit by the use of a signal input. An output of the sampleand-hold circuit is connected to an input of the time encoding machine. An output of the time encoding machine is connected to an output of the apparatus, and to a control input of the sample-and-hold circuit.

**[0011]** It is advantageous if the sample-and-hold circuit comprises at least two sample-and-hold modules.

**[0012]** It is advantageous if an asynchronous Sigma-Delta modulator acts as the time encoding machine.

**[0013]** It is advantageous if a Spiking-Neuron circuit acts as the time encoding machine.

**[0014]** Due to time encoding of samples of a signal instead of encoding a signal in continuous time, the width of each time interval represents an instantaneous value of a signal instead of its averages in time intervals of a variable width. Furthermore, due to time encoding of samples of a signal, a given time interval width depends on a given sample value. The latter simplifies the recovery of a signal based on knowledge of time interval widths because of reduction of computational complexity and improvement of recovery accuracy.

**[0015]** Encoding of samples of a signal eliminates also attenuation of high frequencies which happens in case of encoding a signal in continuous time by its integration. Therefore, if time intervals are further quantized and coded to digital words, quantization noise is uniformly distributed in the bandwidth of the encoded signal. Additionally, the quantization noise density reaches then its minimum which is dependent on the quantization step only. **[0016]** The solution according to the invention is presented in the following figures:

Fig. 1 illustrates the block diagram of the apparatus.

Fig. 2 illustrates the schematic diagram of the apparatus comprising the sample-and-hold circuit SH with two modules MSH, and with the asynchronous Sigma-Delta modulator that acts as the time encoding machine TEM.

- Fig. 3 illustrates the schematic diagram of the apparatus comprising the sample-and-hold circuit SH with two modules MSH, and with the Spiking-Neuron that acts as the time encoding machine TEM.
- Fig. 4 illustrates the output signal TEMout of the asynchronous Sigma-Delta modulator representing time intervals produced in time encoding process.
- Fig. 5 illustrates the output signal TEMout of the Spiking-Neuron representing time intervals produced in time encoding process.

<sup>15</sup> [0017] The method for encoding analog signal into time intervals, according to the invention, consists in time encoding of samples of the analog signal. The value of a sample held on the input TEMin of the time encoding machine TEM during a generation of a time interval T<sub>x</sub>
 <sup>20</sup> represents an instantaneous value of encoded analog signal when the time encoding machine terminates the

generation of a previous time interval T<sub>x-1</sub>.
[0018] The instantaneous value of encoded analog signal provided to the signal input In of the apparatus is
<sup>25</sup> sampled and locked by the use of the sample-and-hold circuit SH at the end of the generation of each time interval.

**[0019]** In the solution comprising two sample-and-hold modules MSH, the sample of encoded analog signal is held on the input TEMin of the time encoding machine TEM by the use of the first sample-and-hold module. At the same time, encoded signal is sampled and locked by the use of the first sample-and-hold module at the end of the generation of each time interval  $T_x$ . The roles of the sample-and-hold modules MSH are interchanged cy-

clically at the end of generation of each time interval. [0020] In the first embodiment, the apparatus for encoding analog signal into time intervals, according to the invention, comprises the time encoding machine TEM

40 and the sample-and-hold circuit SH (Fig. 1). The input signal is provided to the input SHin of the sample-andhold circuit SH via the analog input In. The output SHout of the sample-and-hold circuit SH is connected to an input TEMin of the time encoding machine TEM, while the out-

<sup>45</sup> put TEMout of the time encoding machine is connected to the time output Out of the apparatus, and to the control input SHctr of the sample-and-hold circuit SH.

**[0021]** In the second embodiment, the apparatus for encoding analog signal into time intervals, according to the invention, comprises two modules MSH, and the asynchronous Sigma-Delta modulator acts as the time

encoding machine TEM (Fig. 2).
[0022] The analog signal is provided to the signal input In of the apparatus, which is connected to the input SHin
of the sample-and-hold circuit SH. Each of two modules MSH of the sample-and-hold circuit SH comprises a capacitor C and an on-off switch S. A top plate of the capacitor C is connected through a relevant on-off switch

S to the input SHin of the sample-and-hold circuit SH, and through a change-over switch SW to the output SHout of the sample-and-hold circuit SH. A bottom top plate of the capacitor C is connected to the ground of the circuit. Control inputs of both on-off switches S, and a control input of the change-over switch SW are coupled together and connected to the control input SHctr of the sample-and-hold circuit SH. The output SHout of the sample-and-hold circuit SH is connected to the input TEMin of the time encoding machine TEM realized as the asynchronous Sigma-Delta modulator comprising an adder, an integrator and Schmitt trigger. The output TE-Mout of the time encoding machine TEM, which is at the same time the time output Out of the apparatus is connected to the control input SHctr of the sample-and-hold circuit SH.

[0023] In the third embodiment, the sample-and-hold circuit SH comprises two modules MSH and a modulo two counter CT, while the time encoding machine TEM is realized as the known Spiking-Neuron circuit (Fig. 3). The analog signal is provided to the signal input In of the apparatus, which is connected to the input SHin of the sample-and-hold circuit SH. Each of two modules MSH of the sample-and-hold circuit SH comprises the capacitor C and the on-off switch S. The top plate of the capacitor C is connected through the relevant on-off switch S to the to the input SHin of the sample-and-hold circuit SH, and through the change-over switch SW to the output SHout of the sample-and-hold circuit SH. The bottom plate of the capacitor C is connected to the ground of the circuit. The control inputs of both on-off switches S, and the control input of the change-over switch SW are coupled together and connected to the control output Sctr of the modulo two counter CT.

**[0024]** The output SHout of the sample-and-hold circuit SH is connected to the input TEMin of the time encoding machine TEM realized as the known Spiking-Neuron circuit comprising a controlled current source, a capacitor, a comparator, a reference voltage source, and an on-off switch. The output TEMout of the time encoding machine TEM, which is simultaneously the time output Out of the apparatus is connected to the control input SHctr of the sample-and-hold circuit SH, which is at the same time the input of the modulo two counter CT.

**[0025]** Time encoding of analog signal into time intervals in the first embodiment, according to the invention, is realized as follows (Fig. 1).

**[0026]** The value of a sample is held on the input TEMin of the time encoding machine TEM during a generation of a time interval  $T_x$ . The value of this sample represents an instantaneous value of encoded analog signal sampled and locked by the use of the sample-and-hold circuit SH when the time encoding machine terminates the generation of the previous time interval  $T_{x-1}$ . Due to holding a sample of a constant value on the input TEMin of the time encoding machine TEM, the width of the time interval  $T_x$  generated by the time encoding machine TEM represents the instantaneous value of encoded analog signal.

At the same time, the termination of the time interval  $T_x$  produced by the time encoding machine TEM, which is signalled on the output TEMout of the time encoding machine TEM, causes a capture and locking of the next sampled of the analog signal by the sample-and-hold circuit SH, and a next samples represents a new instantaneous value of the analog signal, and the cycle is repeated.

**[0027]** Time encoding of analog signal into time intervals in the second embodiment (Fig. 2), according to the invention, is realized as follows. The value of a sample is held on the input TEMin of the time encoding machine TEM during a generation of a time interval  $T_x$ . The value of this sample represents an instantaneous value of en-

<sup>15</sup> coded analog signal sampled and locked by the use of the sample-and-hold circuit SH when the time encoding machine terminates the generation of the previous time interval  $T_{x-1}$ .

**[0028]** The time encoding machine TEM holds a low state on the output TEMout during the time interval  $T_x$  (Fig. 4). The low state provided through the control input SHctr of the sample-and-hold circuit SH to the control inputs of the on-off switch S, and to the control input the change-over switch SW, causes the opening of the on-

<sup>25</sup> off switch S of the upper module MSH of the sample-andhold circuit SH, and the disconnection of the capacitor C of the upper module MSH from the input SHin of the sample-and-hold circuit SH.

[0029] In this way, the upper module MSH is kept in the hold mode. A low state provided to the control input of the change-over switch SW causes the switching of the change-over switch SW into the upper position, and the connection of the input TEMin of the time encoding machine TEM to the capacitor C of the upper module

<sup>35</sup> MSH. The capacitor C keeps a constant voltage on the input TEMin of the time encoding machine TEM, and this voltage corresponds to an instantaneous value of the analog signal frozen when the time encoding machine terminates the generation of the previous time interval  $T_{x-1}$ .

40 The low state provided to the control input of the on-off switch S causes the closure of the on-off switch S of the lower module MSH of the sample-and-hold circuit SH, and the connection of the capacitor C of the lower module MSH of the sample-and-hold circuit SH to the input SHin

<sup>45</sup> of the sample-and-hold circuit SH. In this way, the lower module MSH is kept in the sample mode, and the voltage on the capacitor C of the lower module MSH follows the analog signal.

[0030] At the instant when the generation of the time interval T<sub>x</sub> is terminated, and at the same time, the generation of the time interval T<sub>x+1</sub> is started, the output TE-Mout of the time encoding machine TEM is switched to the high state (Fig. 4). The high state provided through the control input SHctr of the sample-and-hold circuit SH to the control input of the on-off switch S, and to the control input the change-over switch SW, causes the opening of the on-off switch S of the lower module MSH of the sample-and-hold circuit SH, and the disconnection of the

capacitor C of the lower module MSH from the input SHin of the sample-and-hold circuit SH.

**[0031]** In this way, the voltage on the capacitor C of the lower module MSH is created, and this voltage corresponds to an instantaneous value of the analog signal when the time encoding machine terminates the generation of the previous time interval  $T_x$  by the time encoding machine TEM, and the lower module MSH is introduced into the hold mode.

**[0032]** The high state provided to the control input of the change-over switch SW causes the switching of the change-over switch SW into a lower position, and the connection of the input TEMin of the time encoding machine TEM to the capacitor C of the lower module MSH. The capacitor C keeps a constant voltage on the input TEMin of the time encoding machine TEM.

**[0033]** The high state provided to the control input of the on-off switch S of the upper module MSH causes the closure of the on-off switch S of the upper module MSH, and the connection of the capacitor C of the upper module MSH to the input SH of the sample-and-hold circuit SH. In this way, the upper module MSH is kept in the sample mode, and the voltage on the capacitor C of the upper module MSH follows the analog signal.

**[0034]** At the instant when the generation of the time interval  $T_{x+1}$  is terminated, and at the same time the generation of the time interval  $T_{x+2}$  is started, the output TE-Mout of the time encoding machine TEM is switched to the low state (Fig. 4), and the cycle is repeated.

**[0035]** Time encoding of analog signal into time intervals in the third embodiment (Fig. 3), according to the invention, is realized as follows.

**[0036]** The modulo two counter CT holds a low state on its output Sctr during a generation of a time interval  $T_x$  (Fig. 5). This low state provided to the control input of the on-off switch S, and to the control input the change-over switch SW, causes the opening of the on-off switch S of the upper module MSH of the sample-and-hold circuit SH, and the disconnection of the capacitor C of the upper module MSH from the input SHin of the sample-and-hold circuit SH.

[0037] In this way, the upper module MSH is kept in the hold mode. The low state provided to the control input of the change-over switch SW causes the switching of the change-over switch SW into the upper position, and the connection of the input TEMin of the time encoding machine TEM to the capacitor C of the upper module MSH. The capacitor C keeps a constant voltage on the input TEMin of the time encoding machine TEM, and this voltage corresponds to an instantaneous value of the analog signal frozen when the time encoding machine terminates the generation of the previous time interval  $T_{x-1}$ . The low state provided to the control input of the on-off switch S causes the closure of the on-off switch S of the lower module MSH of the sample-and-hold circuit SH, and the connection of the capacitor C of the lower module MSH of the sample-and-hold circuit SH to the input SHin of the sample-and-hold circuit SH. In this way, the lower

module MSH is kept in the sample mode, and the voltage on the capacitor C of the lower module MSH follows the analog signal.

**[0038]** At the instant when the generation of the time interval  $T_x$  is terminated, and at the same time the generation of the time interval  $T_{x+1}$  is started, a short pulse is produced on the output TEMout of the time encoding machine TEM (Fig. 5). This pulse provided through the control input SHctr of the sample-and-hold circuit SH to

10 the input of the modulo two counter CT causes the switching of the output Sctr of the modulo two counter CT to the high state (Fig. 5).

**[0039]** The high state provided to the control input of the on-off switch S, and to the control input of the change-

<sup>15</sup> over switch SW causes the opening of the on-off switch S of the lower module MSH, and the disconnection of the capacitor C of the lower module MSH from the input SHin of the sample-and-hold circuit SH. In this way, the capacitor C keeps a constant voltage, and this voltage cor-

<sup>20</sup> responds to an instantaneous value of the analog signal when the time encoding machine TEM terminates the generation of the previous time interval  $T_x$ , and the lower module MSH is introduced into the hold mode.

[0040] The high state provided to the control input of
 the change-over switch SW causes the switching of the
 change-over switch SW into the lower position, and the
 connection of the input TEMin of the time encoding ma chine TEM to the capacitor C of the lower module MSH.
 The capacitor C keeps a constant voltage on the input
 TEMin of the time encoding machine TEM.

**[0041]** The high state provided to the control input of the on-off switch S of the upper module MSH causes the closure of the on-off switch S of the upper module MSH, and the connection of the capacitor C of the upper module

MSH to the input SHin of the sample-and-hold circuit SH. In this way, the upper module MSH is kept in the sample mode, and the voltage on the capacitor C of the upper module MSH follows the analog signal.

**[0042]** At the instant when the generation of the time interval  $T_{x+1}$  is terminated, and at the same time the generation of the time interval  $T_{x+2}$  is started, a short is produced on the output TEMout of the time encoding machine TEM (Fig. 5). This pulse provided through the control input SHctr of the sample-and-hold circuit SH to the

<sup>45</sup> input of the modulo two counter CT causes the switching of the output Sctr of the modulo two counter CT to the low state (Fig. 5), and the cycle is repeated.

#### Acronims

#### [0043]

50

	In	signal input
	Out	time output
55	TEM	time encoding machine
	TEMin	time encoding machine input
	TEMout	time encoding machine output
	SH	sample-and-hold circuit

5

10

SHin	sample-and-hold circuit input
SHout	sample-and-hold circuit output
SHctr	sample-and-hold circuit control input
СТ	modulo two counter
Sctr	modulo two counter output
MSH	module of sample-and-hold circuit
S	on-off switch
SW	change-over switch
С	capacitor

#### Claims

- 1. Method for encoding an analog input signal into time intervals by means of a time encoding machine, wherein the width of time intervals generated at an output of the time encoding machine represents values of the analog input signal, characterized in that during the generation of a time interval a sample of the input signal is held at the input of the time encoding machine (TEM) by means of a sample-andhold circuit (SH), wherein the time interval represents an instantaneous value of the analog input signal sampled during the generation of a previous time interval, wherein the end of the time interval generated at the output of the time encoding machine (TEM) triggers a control signal that causes a next sample of the analog input signal to be captured and held by the sample-and-hold circuit (SH), the next sample representing a new instantaneous value of the analog input signal.
- 2. Method as claimed in claim 1 characterized in that the sample of the input signal is held at the input of the time encoding machine (TEM) during the generation of the time interval by means of a first capacitor (MSH) of the sample-and-hold circuit (SH), and an actual value of the analog input signal is sampled by means of a second capacitor (MSH) of the sampleand-hold circuit (SH), wherein the roles of the modules (MSH) of the sample-and-hold circuit (SH) are interchanged cyclically at the end of each generated time interval.
- Apparatus connected to encode an analog input signal into time intervals comprising a time encoding machine equipped with a signal input and a time output characterized in that the analog input signal is provided to an input (SHin) of the sample-and-hold circuit (SH) via the signal input (In), and an output (SHout) of the sample-and-hold circuit (SH) is connected to an input (TEMin) of the time encoding machine is connected to the time output (Out) of the apparatus, and to a control input (SHctr) 55 of the sample-and-hold circuit (SH).
- 4. Apparatus as claimed in claim 3 characterized in

**that** the sample-and-hold circuit (SH) comprises at least two sample-and-hold modules (MSH).

- Apparatus as claimed in claim 3 or claim 4 characterized in that an asynchronous Sigma-Delta modulator acts as the time encoding machine (TEM).
- Apparatus as claimed in claim 3 or claim 4 characterized in that a Spiking-Neuron circuit acts as the time encoding machine (TEM).

#### Patentansprüche

- 15 1. Verfahren zur Codierung eines analogen Eingangssignals in Form von Zeitintervallen mittels eines Zeitintervall-Kodierers, wobei die Länge der am Ausgang des Zeitintervall-Kodierers erzeugten Zeitintervalle den Wert des analogen Eingangssignals dar-20 stellt, gekennzeichnet dadurch, dass während der Erzeugung eines Zeitintervalls am Eingang des Zeitintervall-Kodierers (TEM), mittels eines Abtast-Halte-Gliedes (SH), ein Abtastwert des Eingangssignals, der den Momentanwert des analogen Ein-25 gangssignals darstellt, das zum Zeitpunkt der Erzeugung des vorhergehenden Zeitintervalls codiert wurde, aufrechterhalten wird, wobei das Ende des am Ausgang des Zeitintervall-Kodierers (TEM) erzeugten Zeitintervalls ein Signal auslöst, das bewirkt, 30 dass der nächste Abtastwert des analogen Eingangssignals, der seinen nächsten Momentanwert darstellt, von dem Abtast-Halte-Glied (SH) aufgenommen und gespeichert wird.
- 35 2. Verfahren nach Anspruch 1, gekennzeichnet dadurch, dass während der Erzeugung eines Zeitintervalls ein Abtastwert des Eingangssignals am Eingang des Zeitintervall-Kodierers (TEM) mittels eines der Kondensatoren (MSH) des Abtast-Halte-Gliedes 40 (SH) aufrechterhalten wird und gleichzeitig der aktuelle Wert des codierten Analogsignals mittels des anderen Kondensators (MSH) des Abtast-Halte-Gliedes (SH) abgetastet wird, und am Ende jeder Zeitintervallgenerierung die Module (MSH) des Ab-45 tast-Halte-Gliedes (SH) zyklisch die Rollen wechseln.
  - 3. Vorrichtung zur Codierung eines Analogsignals, der einen Zeitintervall-Kodierer (TEM) enthält, der mit einem kodierten Signaleingang und einem Zeitintervall-Ausgang ausgestattet ist, gekennzeichnet dadurch, dass das analoge Eingangssignal durch den Eingang (In) zum Eingang (SHin) des Abtast-Hlate-Gliedes (SH) geführt wird, dessen Ausgang (SHout) mit dem Eingang (TEMin) des Zeitintervall-Kodierers (TEM) verbunden ist, während der Ausgang (TE-Mout) des Zeitintervall-Kodierers (TEM) mit dem Ausgang (Out) des Zeitintervall-Kodierers und dem

10

15

Steuereingang (SHctr) des Abtast-Halte-Gliedes (SH) verbunden ist.

- 4. Vorrichtung nach Anspruch 3, gekennzeichnet dadurch, dass das Abtast-Halte-Glied (SH) über mindestens zwei Abtast-Halte-Module (MSH) verfügt.
- Vorrichtung nach Anspruch 3 oder 4, gekennzeichnet dadurch, dass ein asynchroner Sigma-Delta-Modulator als Zeitintervall-Kodierer (TEM) verwendet wird.
- 6. Vorrichtung nach Anspruch 3 oder 4, gekennzeichnet dadurch, dass das Spiking-Neuron-System als Zeitintervall-Kodierer (TEM) verwendet wird.

#### Revendications

- 1. Procédé de codage d'un signal d'entrée analogique 20 en intervalles de temps à l'aide d'un codeur d'intervalles de temps, où la longueur des intervalles de temps générés à la sortie du codeur d'intervalles de temps représente la valeur du signal d'entrée ana-25 logique, caractérisé en ce que lors de la génération de l'intervalle de temps, à l'entrée du codeur d'intervalles de temps (TEM) au moyen du système d'échantillonnage et de mémorisation (SH), un échantillon du signal d'entrée représentant la valeur instantanée du signal d'entrée analogique codé au 30 moment de la génération de l'intervalle de temps précédent est conservé, où la fin de l'intervalle de temps généré à la sortie du codeur d'intervalle de temps (TEM), déclenche un signal qui amène le système d'échantillonnage et de mémorisation (SH) à pren-35 dre et à stocker l'échantillon suivant du signal d'entrée analogique représentant sa prochaine valeur instantanée.
- 2. Procédé selon la revendication 1, caractérisé en ce 40 que lors de la génération de l'intervalle de temps, à l'entrée du codeur d'intervalles de temps (TEM) est maintenu, en utilisant l'un des condensateurs (MSH) du système d'échantillonnage et de mémorisation 45 (SH), un échantillon du signal d'entrée et simultanément est échantillonnée, en utilisant le second des condensateurs (MSH) du système d'échantillonnage et de mémorisation (SH), la valeur actuelle du signal analogique codé, et à la fin de la génération de chaque intervalle de temps, les modules (MSH) 50 du système d'échantillonnage et de mémorisation (SH) changent de rôles cycliquement.
- Appareil de codage d'un signal analogique sous forme d'intervalles de temps, comprenant un codeur d'intervalles de temps (TEM) équipé d'une entrée de signal codé et d'une sortie d'intervalles de temps, caractérisé en ce que le signal d'entrée analogique

est envoyé par l'entrée (In) à l'entrée (SHin) du système d'échantillonnage et de mémorisation (SH) dont la sortie (SHout) est connectée à l'entrée (TE-Min) du codeur d'intervalles de temps (TEM), tandis que la sortie (TEMout) du codeur d'intervalles de temps (TEM) est connectée à la sortie (Out) des intervalles de temps du système de codage et à l'entrée de commande (SHctr) du système d'échantillonnage et de mémorisation (SH).

- Appareil selon la revendication 3, caractérisé en ce que, le système d'échantillonnage et de mémorisation (SH) a au moins deux modules d'échantillonnage et de mémorisation (MSH).
- Appareil selon la revendication 3 ou 4, caractérisé en ce que le modulateur asynchrone Sigma-Delta est utilisé comme codeur d'intervalles de temps (TEM).
- Appareil selon la revendication 3 ou 4, caractérisé en ce que le système Spiking-Neuron est utilisé comme codeur d'intervalles de temps (TEM).







Fig. 2.



Fig. 3.







Fig. 5.

#### **REFERENCES CITED IN THE DESCRIPTION**

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

#### Non-patent literature cited in the description

- AUREL A. LAZAR ; LASZLO T. TOTH. Perfect Recovery and Sensitivity Analysis of Time Encoded Bandlimited Signals. *IEEE Transactions on Circuits* and Systems, October 2004, vol. 51 (10), 2060-2073 [0002] [0004]
- J. G. HARRIS; XU JIE; M. RASTOGI; A. S. ALVARADO; V. GARG; J. C. PRINCIPE; K. VUP-PAMANDLA. Real Time Signal Reconstruction from Spikes on a Digital Signal Processor. *IEEE International Symposium on Circuits and Systems*, May 2008, 1060-1063 [0003]
- J. G. HARRIS; XU JIE; M. RASTOGI; A. S. ALVARADO; V. GARG; J. C. PRINCIPE; K. VUP-PAMANDLA. Real Time Signal Reconstruction from Spikes on a Digital Signal Processor. *IEEE International Symposium on Circuits and Systems*, May 2008, 1060-1063 [0005]
- Analog to interval encoder with active use of gate leakage for an implanted blood-sugar sensor.
   HAFLIGER P. et al. Biomedical Circuits And Systems Conference, 2008, BIOCAS 2008. IEEE, 20 November 2008, 169-172 [0006]